

SEDIMENTOLOGY

The Journal of the International Association of Sedimentologists *edited by*
P. Haughton, P. Carling, A. Immenhauser, I. Montañez

Volume 52 2005



Blackwell
Publishing

Contents

NUMBER 1

- 1 A. Gilli, F. S. Anselmetti, D. Ariztegui, M. Beres, J. A. McKenzie and V. Markgraf. Seismic stratigraphy, buried beach ridges and contourite drifts: the Late Quaternary history of the closed Lago Cardiel basin, Argentina (49°S)
- 25 E. S. Rasmussen and K. Dybkjær. Sequence stratigraphy of the Upper Oligocene–Lower Miocene of eastern Jylland, Denmark: role of structural relief and variable sediment supply in controlling sequence development
- 65 Y. Hiroki and T. Terasaka. Wavy lamination in a mixed sand and gravel foreshore facies of the Pleistocene Hosoya Sandstone, Aichi, central Japan
- 77 A. Immenhauser, H. Hillgärtner and E. Van Bentum. Microbial-foraminiferal episodes in the Early Aptian of the southern Tethyan margin: ecological significance and possible relation to oceanic anoxic event 1a
- 101 D. A. Vallini, B. Rasmussen, B. Krapež and I. R. Fletcher and N. J. McNaughton. Microtextures, geochemistry and geochronology of authigenic xenotime: constraining the cementation history of a Palaeoproterozoic metasedimentary sequence
- 123 D. B. Loope, J. A. Mason, H. Bao, R. M. Kettler and C. W. Zanner. Deformation structures and an alteration zone linked to deposition of volcanogenic sulphate in an ancient playa (Oligocene of Nebraska, USA)
- 141 C. Fraser, P. R. Hill and M. Allard. Morphology and facies architecture of a falling sea level strandplain, Umiujaq, Hudson Bay, Canada
- 161 S. Roth and J. J. G. Reijmer. Holocene millennial to centennial carbonate cyclicity recorded in slope sediments of the Great Bahama Bank and its climatic implications
- 183 E. A. Gómez and C. L. Amos. Dewatering effects on the erodibility of newly deposited cohesive beds by unidirectional currents
- 191 G. H. Mack and R. D. Madoff. A test of models of fluvial architecture and palaeosol development: Camp Rice Formation (Upper Pliocene–Lower Pleistocene), southern Rio Grande rift, New Mexico, USA
- 213 J. M. Ketzer, L. F. De Ros and N. Dani. Kaolinitic meniscus bridges as an indicator of early diagenesis in Nubian sandstones, Sinai, Egypt – discussion

NUMBER 2

- 219 A. P. Stroeven, P. Stroeven and J. J. M. Van Der Meer. Microfabric analysis by manual and automated stereological procedures: a methodological approach to Antarctic tillite
- 235 B. C. Yang, R. W. Dalrymple and S. S. Chun. Sedimentation on a wave-dominated, open-coast tidal flat, south-western Korea: summer tidal flat – winter shoreface
- 253 G. B. Dunbar and P. J. Barrett. Estimating palaeobathymetry of wave-graded continental shelves from sediment texture
- 271 M. Schnellmann, F. S. Anselmetti, D. Giardini and J. A. McKenzie. Mass movement-induced fold-and-thrust

belt structures in unconsolidated sediments in Lake Lucerne (Switzerland)

- 291 M. G. Kleinhans. Grain-size sorting in grainflows at the lee side of deltas
- 313 C. A. L. Jackson, R. L. Gawthorpe, I. D. Carr and I. R. Sharp. Normal faulting as a control on the stratigraphic development of shallow marine syn-rift sequences: the Nukhul and Lower Rudeis Formations, Hammam Faraun fault block, Suez Rift, Egypt
- 339 U. Sattler, A. Immenhauser, H. Hillgärtner and M. Esteban. Characterization, lateral variability and lateral extent of discontinuity surfaces on a Carbonate Platform (Barremian to Lower Aptian, Oman)
- 363 G. Warrlich, D. Bosence and D. Waltham. 3D and 4D controls on carbonate depositional systems: sedimentological and sequence stratigraphic analysis of an attached carbonate platform and atoll (Miocene, Níjar Basin, SE Spain)
- 391 P. Plink-Björklund. Stacked fluvial and tide-dominated estuarine deposits in high-frequency (fourth-order) sequences of the Eocene Central Basin, Spitsbergen

NUMBER 3

- 429 T. Wang, W. Zhang, Z. Dong, J. Qu, Z. Jing, W. Wang and J. Feng. The dynamic characteristics and migration of a pyramid dune
- 441 C. Portman, J. E. Andrews, P. J. Rowe, M. R. Leeder and J. Hoogewerff. Submarine-spring controlled calcification and growth of large *Rivularia* bioherms, Late Pleistocene (MIS 5e), Gulf of Corinth, Greece
- 467 T. E. Gray, J. Alexander and M. R. Leeder. Quantifying velocity and turbulence structure in depositing sustained turbidity currents across breaks in slope
- 489 Z. R. Nagy, I. D. Somerville, J. M. Gregg, S. P. Becker, K. L. Shelton and A. G. Sleeman. Sedimentation in an actively tilting half-graben: sedimentology and stratigraphy of Late Tournaisian–Viséan (Mississippian, Lower Carboniferous) carbonate rocks in south County Wexford, Ireland
- 513 C. L. Johnson, E. K. Franseen and R. H. Goldstein. The effects of sea level and palaeotopography on lithofacies distribution and geometries in heterozoan carbonates, south-eastern Spain
- 537 S. J. Beavington-Penney, V. Paul Wright and A. Racey. Sediment production and dispersal on foraminifera-dominated early Tertiary ramps: the Eocene El Garia Formation, Tunisia
- 571 G. Nichols and B. Thompson. Bedrock lithology control on contemporaneous alluvial fan facies, Oligo-Miocene, southern Pyrenees, Spain
- 587 D. B. Finkelstein, L. M. Pratt, T. M. Curtin and S. C. Brassell. Wildfires and seasonal aridity recorded in Late Cretaceous strata from south-eastern Arizona, USA
- 601 M. Rajchl and D. Uliéný. Depositional record of an avulsive fluvial system controlled by peat compaction (Neogene, Most Basin, Czech Republic)
- 627 R. J. Schindler and A. Robert. Flow and turbulence structure across the ripple–dune transition: an experiment under mobile bed conditions

- 651 *B. Makaske and H. J. T. Weerts*. Muddy lateral accretion and low stream power in a sub-recent confined channel belt, Rhine-Meuse delta, central Netherlands
- 669 *K. Seelos and F. Sirocko*. RADIUS – rapid particle analysis of digital images by ultra-high-resolution scanning of thin sections

NUMBER 4

- 683 *M. R. Leeder, T. E. Gray and J. Alexander*. Sediment suspension dynamics and a new criterion for the maintenance of turbulent suspensions – short paper
- 693 *D. J. Went*. Pre-vegetation alluvial fan facies and processes: an example from the Cambro-Ordovician Rozel Conglomerate Formation, Jersey, Channel Islands
- 715 *M. R. Wells, P. A. Allison, G. J. Hampson, M. D. Piggott and C. C. Pain*. Modelling ancient tides: the Upper Carboniferous epi-continental seaway of Northwest Europe
- 737 *P. V. Villard and M. Church*. Bar and dune development during a freshet: Fraser River Estuary, British Columbia, Canada
- 757 *P. L. Corcoran*. Recycling and chemical weathering in tectonically controlled Mesozoic–Cenozoic basins of New Zealand
- 775 *A. Eliassen and M. R. Talbot*. Solution-collapse breccias of the Minkinfjellet and Wordiekammen Formations, Central Spitsbergen, Svalbard: a large gypsum palaeokarst system
- 795 *T. Serra, M. Soler, R. Julià, X. Casamitjana and J. Colomer*. Behaviour and dynamics of a hydrothermal plume in Lake Banyoles, Catalonia, NE Spain
- 809 *S. Pochat, J. V. D. Driessche, V. Mouton and F. Guillocheau*. Identification of Permian palaeowind direction from wave-dominated lacustrine sediments (Lodève Basin, France)
- 827 *D. Paphitis and M. B. Collins*. Sand grain threshold, in relation to bed 'stress history': an experimental study
- 839 *R. S. Pyrcie and P. E. Ashmore*. Bedload path length and point bar development in gravel-bed river models
- 859 *D. Goossens*. Quantification of the dry aeolian deposition of dust on horizontal surfaces: an experimental comparison of theory and measurements
- 875 *V. Manzi, S. Lugli, F. R. Lucchi and M. Roveri*. Deep-water clastic evaporites deposition in the Messinian Adriatic foredeep (northern Apennines, Italy): did the Mediterranean ever dry out?
- 903 *J. Horppila and L. Nurminen*. Effects of calculation procedure and sampling site on trap method estimates of sediment resuspension in a shallow lake

NUMBER 5

- 915 *P. Le Guern and E. Davaud*. Recognition of ancient carbonate wind deposits: lessons from a modern analogue, Chrissi Island, Crete
- 927 *C. Mangili, A. Brauer, A. Moscariello and R. Naumann*. Microfacies of detrital event layers deposited in Quaternary varved lake sediments of the Pianico-Sellere Basin (northern Italy)

- 945 *P. Nielsen, P. Muchez, W. Heijlen, A. E. T. Fallick, E. Keppens, D. Weis and R. Swennen*. Columnar calcites as testimony of diagenetic overprinting at the boundary between Upper Tournaisian dolomites and limestones (Belgium): multiple origins for apparently similar features
- 969 *P. Y. Collin, J. P. Loreau and P. Courville*. Depositional environments and iron ooid formation in condensed sections (Callovian–Oxfordian, south-eastern Paris basin, France)
- 987 *D. T. Wright and D. Wacey*. Precipitation of dolomite using sulphate-reducing bacteria from the Coorong Region, South Australia: significance and implications
- 1009 *D. A. Smith and K. F. Cheung*. Transport rate of calcareous sand in unidirectional flow
- 1021 *M. E. Donselaar and J. M. Schmidt*. Integration of outcrop and borehole image logs for high-resolution facies interpretation: example from a fluvial fan in the Ebro Basin, Spain
- 1043 *E. C. Turner and B. Jones*. Microscopic calcite dendrites in cold-water tufa: implications for nucleation of micrite and cement
- 1067 *V. Vandeginste, R. Swennen, S. A. Gleeson, R. M. El-lam, K. Osadetz and F. Roure*. Zebra dolomitization as a result of focused fluid flow in the Rocky Mountains Fold and Thrust Belt, Canada
- 1097 *N. L. Jackson, K. F. Nordstrom and D. R. Smith*. Influence of waves and horseshoe crab spawning on beach morphology and sediment grain-size characteristics on a sandy estuarine beach
- 1109 *R. J. Ryan, A. M. O'Beirne-Ryan and M. Zentilli*. Rounded cobbles that have not travelled far: incorporation of corestones from saprolites in the South Mountain area of southern Nova Scotia, Canada
- 1123 *Y. Kuriyama, N. Mochizuki and T. Nakashima*. Influence of vegetation on aeolian sand transport rate from a backshore to a foredune at Hasaki, Japan
- 1133 *D. J. Topping, D. M. Rubin and J. C. Schmidt*. Regulation of sand transport in the Colorado River by changes in the surface grain size of eddy sandbars over multi-year timescales

NUMBER 6

- 1155 *F. E. Burns, S. D. Burley, R. L. Gawthorpe and J. E. Pollard*. Diagenetic signatures of stratal surfaces in the Upper Jurassic Fulmar Formation, Central North Sea, UKCS
- 1187 *G. H. Mack and D. M. Stout*. Unconventional distribution of facies in a continental rift basin: the Pliocene–Pleistocene Mangas Basin, south-western New Mexico, USA
- 1207 *C. Colombié and A. Strasser*. Facies, cycles, and controls on the evolution of a keep-up carbonate platform (Kimmeridgian, Swiss Jura)
- 1229 *B. Jones, R. W. Renaut and K. O. Konhauser*. Genesis of large siliceous stromatolites at Frying Pan Lake, Waimangu geothermal field, North Island, New Zealand
- 1253 *B. Bádenas, M. Aurell and D. R. Gröcke*. Facies analysis and correlation of high-order sequences in middle–outer ramp successions: variations in exported carbonate on basin-wide $\delta^{13}\text{C}_{\text{carb}}$ (Kimmeridgian, NE Spain)

- 1425 *B. Jones, R. W. Renaut, R. Bernhart Owen and H. Torfason.* Growth patterns and implications of complex dendrites in calcite travertines from Lýsuhóll, Snæfellsnes, Iceland
- 1303 *J. D. S. Paz, D. F. Rossetti and M. J. B. Macambira.* An Upper Aptian saline pan/lake system from the Brazilian equatorial margin: integration of facies and isotopes
- 1323 *C. M. S. Scherer and E. L. C. Lavina.* Sedimentary cycles and facies architecture of aeolian-fluvial strata of the Upper Jurassic Guar Formation, southern Brazil
- 1343 *J. G. Venditti, M. Church and S. J. Bennett.* On the transition between 2D and 3D dunes
- 1361 *M. Vriend and M. A. Prins.* Calibration of modelled mixing patterns in loess grain-size distributions: an example from the north-eastern margin of the Tibetan Plateau, China
- 1375 *T. Tamura and F. Masuda.* Bed thickness characteristics of inner-shelf storm deposits associated with a transgressive to regressive Holocene wave-dominated shelf, Sendai coastal plain, Japan
- 1397 *R. M. Briant, M. D. Bateman, G. Russell Coope and P. L. Gibbard.* Climatic control on Quaternary fluvial sedimentology of a Fenland Basin river, England
- 1425 *M. R. Tomkins, T. E. Baldock and P. Nielsen.* Hindered settling of sand grains
- 1433 Author Index

